
RESIDENTIAL Lets Work together.





f ♥ ◎ 𝒫 in ▷ www.johnson-tiles.com



WE ARE THE UK'S **ONLY LARGE-SCALE** MANUFACTURER **OF CERAMIC TILES.**

CONTENTS.

- 04. Welcome
- 08. We Make It. Sustainable
- 10. First Class Service
- 12. Product Inspiration
- 22. Product Choice

STONE

- 26. Portland
- 27. Haven 28. Minerals
- 29. Minerals Wal
- 30. Modern
- 31. Hudson
- 32. County
- 33. Natural Ton
- 34. Refine 35. Refine Wall
- 36. Riverstone
- 37. Cambridge
- 38. Brics 39. Harbour
- 40. Lagos
- 41. Classics
- 42. Roma
- 43. City Touchst 44. Boundary
- 45. Echo
- 46. Terrazzo
- 47. Arlo
- 100. Case Studies 116. 118.
- 120. Let's Work Together

06. Made in the UK. Since 1901

	_			
	CON	NCRETE	COL	OUR
	50.	Atrium	74.	Prismatics
	51.	Rebus	76.	Savoy Wall
	52.	Marco	78.	South Bank
all	53.	Ashlar	79.	1901
	54.	Savoy Floor	80.	Melrose
	55.	Fitzrovia	81.	Duplet
			82.	Verso
nes	MAR	BLE	83.	Form
	58.	Luxx	84.	Tones
	50. 59.		86.	Bevel Brick
	60.	Darlington Glide	87.	Kensington
			88.	Studio
	61.	Bianco	89.	Threads
		Melford Marble	90.	Monochrome
	63.	Siena	91.	Devonshire
	WO	WOOD		Chroma
			93.	Parade
	66.	Galloway	WHI	TE
stone	67.	Kielder		
	68.	Oslo	96.	Arctic White
	69.	Labyrinth	97.	Eminence
	70.	Loft	98.	Polar White
	71.	Drift	99.	Tundra

102. Par 3 Development by Cyden Homes 104. Greenwich Townhouse by The 2LG Studio 106. Wedgwood Park by David Wilson Homes 108. Luxury Loft Living by The Drapery Apartments 110. Kingswood Manor by Macbryde Homes II2. Juniper House by The 2LG Studio 114. ARL Developments by Gladman Homes Luxury Apartments by Local Blackfriars Bollin Park by David Wilson Homes

122. Technical and Important Information


WELCOME


Here at Johnson Tiles, we understand that each and every residential development is different. Our residential product portfolio has been curated with these varying needs in mind, catering for all design styles and application types.

Beautifully designed, precision-manufactured, and endlessly versatile, our wall and floor tiles are at home in every kind of residential setting. From affordable style to bespoke one-off creations, Johnson Tiles covers every preference and price point.

Beyond our market-leading products, we excel at meeting our customers' needs seamlessly and efficiently, regardless of the project size, budget constraints or schedule. We're utterly dedicated to helping every customer get the very best from our tiles.

All of which explains why, right across the residential sector, Johnson Tiles is trusted to deliver in full, on time, every time.







MADE IN THE UK. SINCE 1901

Johnson Tiles is the UK's only large-scale manufacturer of ceramic tiles. Since 1901 we've been designing and making the finest selection of ceramic wall tiles, right here in the UK. Our portfolio of sustainable, British-made products is strengthened by complementary collections of ceramic and porcelain floor and wall tiles.

Being a celebrated UK heritage brand is part of our culture, but the Johnson Tiles success story is built on innovation. With 120 years' experience, we are consistently raising the bar in terms of inspirational design, quality of service, and sustainability leadership.









& Buying

Local

For further information, simply visit the Our Company section of our website - www.johnson-tiles.com/about/our-company





Finest Quality Products

Service &

Experience





FT

Passionate, & Positive People

Unrivalled

Investment

In Stocks

WE MAKE IT. SUSTAINABLE

Proudly operating from our home in the Potteries' heartland of Stoke-on-Trent, our commitment to sustainable manufacturing has seen us develop over 50 eco-friendly ranges, inspiring and enhancing projects around the world.

It's not just what we make, but how we make it. We've dedicated over 2 decades to finding better ways to operate across every aspect of our business by cutting energy consumption, diverting waste, and reducing carbon emissions. All the electricity we consume is generated by biomass and hydro. This form of energy is generated through organic fuels, including wood and plant matter, rather than relying on traditional fossil fuels such as coal or gas which have a negative impact upon the environment.

We have also carefully calibrated our ceramic recipe to ensure that every single tile we manufacture contains up to 20% recycled ceramic material as part of our pioneering ceramic waste recycling system.


Our latest initiative has seen us eradicate single-use plastics from the packaging solution of our UK-manufactured ceramics, making us the first tile manufacturer to do so. The packaging components of our pallets are: 100% recycled and recyclable cardboard; our carbon neutral, 100% recyclable, plant-based sugar cane wrap; and re-used, re-usable wooden pallets.


We're constantly improving, making sure our setup isn't just world class, but also making a difference on the issues that impact us all, at a local and global level.



For further information, simply visit the Sustainability section of our website - www.johnson-tiles.com/about/sustainability







FIRST CLASS SERVICE

Here at Johnson Tiles, we don't just design and manufacture amazing products, we deliver on excellent service too. As part of a comprehensive suite of services, we provide industry leading bespoke buying guides, showcasing a tailored product selection to suit any residential development. Accompanying sample hand board packs are also available, customised for the requirements of any site or product selection. Clearly and easily display your development details with our first-class support materials.

We also offer a free CAD design service for all contract tiling applications. Our in-house team uses the latest digital software to create bespoke fixing and installation layouts. A free Bill of Quantity service is also offered in conjunction with the CAD design service. The quantities can be extracted from drawings sent to us, or from drawings created in-house.

Our Technical Support team can produce detailed reports in the M40 format. This gives comprehensive guidelines of product suitability, adhesive and grout selection, background suitability and preparation guidance.

You spec it – we'll stock it! Specify any selection of our products on your residential development and we guarantee that we'll stock it right here in the UK at our manufacturing hub in the Potteries. Have peace of mind that your bespoke specification is on hand, exactly when you need it.

And, with an extensive distribution network, we can arrange delivery direct to site, creating even more flexibility. Our responsive logistics team can also arrange next day deliveries for those occasions where schedules are tight and a fast turn-around is essential.

Plus, complete your project with Norcros Adhesives products and you'll qualify for a 25-year guarantee!

With our extensive list of ancillary services, you can be assured that Johnson Tiles is the right supplier for you.




PRODUCT INSPIRATION

Inspiration can be found anywhere. Our in-house Design and Development teams search the world to find new and inspiring materials and ideas. Driven by creative passion, influence is drawn from everywhere, from the colours and tones of nature to the details of world architecture. Our design experience and technical excellence transform this journey into unique tiles and products.

We're always happy to share our creativity with customers and clients in search of design inspiration, offering expert advice on design schemes, adding our experience to layouts and bespoke installations, or finding a product to match each individual creative vision.

Whatever the project, however large or small the budget and no matter how demanding the technical challenges, Johnson Tiles is perfectly placed to match your requirements.

Over the next few pages, discover a curated collection of inspirational photography for all aspects of the home, from bathrooms and kitchens to living areas and outdoor spaces. This is followed by a hand-picked selection of our product ranges, perfect for any and all residential applications... Welcome to our world!





		The second secon
		1
		1
	The second se	
		1
		1
		7
		<
		/
		A La X
		XX

Labyrinth Wood Light, Wood Mid & Wood Dark Trapeziums with Wood Dark Chevrons

PRODUCT INSPIRATION: BATHROOMS

Create a relaxing oasis to retreat to with our collection of bathroom and en-suite wall and floor tiles. Incorporate different size formats, finishes, mosaics, or textures for striking interior designs, perfect for any size and style of project.















PRODUCT INSPIRATION: **KITCHENS**

As the heart of the home the kitchen reflects individual style. From nature-inspired wood effect products to striking terrazzo designs, slim brick wall tiles to large-format floor tiles, we invite you to experiment with textures and colours for limitless creativity.















PRODUCT INSPIRATION:

Whether it's the hallway, utility, bedroom, or lounge, we have tiles for the whole home; tiles to live with. Traditional or contemporary wall tiles provide the 'wow' factor and match with hard-wearing, stylish floor tiles for a stunning end result.













PRODUCT INSPIRATION: OUTDOOR SPACES

Make the most of your natural surroundings by extending living spaces to the outdoors. We have an array of products suitable for external use, combining performance with style. Carry features such as colour palettes from the indoors out, to create a sense of continuity and maximise space.















Minerals Flint



PRODUCT CHOICE

We have an inspirational range of tiles covering all size formats, styles, shapes, and colours. Our portfolio consists of 3 product collections: Intro, Select and Absolute. Navigate through the entire selection, co-ordinating both colour and style. Whatever your budget, we're confident we have what you're looking for.

Echo the characteristics of stone, concrete, marble, or wood. Go for bold and striking results with our solid colour ranges. Or opt for understated elegance with our simple white products. Our portfolio offers products that are ideal for all wall and floor applications, including options for wet room areas and even extending tiling outdoors.






Threads Cottor

STONE

Echo the characteristics of natural stone with our selection of products that offer tones from cool, weather-washed whites to warm, earthy hues. With a range of performance credentials, our stone effect products include wall and floor applications, with options perfect for extending tiling to external areas.



BACKDROP Haven Sand Rockfall Structure Matt 600x300x8mm (Page 27)



PORTLAND

PORCELAIN | FLOOR & WALL TILES

STONE 2CM STRUCTURE ABSOLUTE



Sizes: P F W 1200x600x10mm / 1200x600x20mm / 900x900x10mm / 600x600x10mm / 600x600x20mm / 600x300x10mm (Co-ordinating mosaics and fittings are also available) Finishes: 📳 🗄 W Natural / Grip (PTV4S 36+ and PTVTRL 36+) / Grip+ 2cm (PTV4S 36+ and PTVTRL 36+)

"Portland features a smoky colour palette composed of tones of Flint, Stone, Slate, and Basalt. Portland effortlessly delivers on style, showcasing a weathered stone effect available in large format sizes ranging from 600x300mm up to 1200x600mm. Co-ordinating raised linear and inverted dot structure options provide textured flair and a PTV 36+ slip resistance rating. With a Grip+ 2cm finish also available in certain colours, Portland is synonymous with performance and presence."






Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

HAVEN

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE SELECT



Slate

Slate Rockfall Structure Slate Sandbar Structure

Sizes: 🖸 👿 600x300x8mm / 600x300x8mm Scored 🛛 🖻 🕅 600x600x10mm Finishes: C W Matt P F W Matt (PTV 4S 36+)

"A beautiful range of stone effect tiles that faithfully replicate genuine cross-cut stone with mineral veins and layered detail, Haven is ideal for those wanting to inject some nature-inspired elegance into their interiors. With three neutral colour options of Sand, Pebble, and Slate, Haven also features a contemporary scored tile providing a mixed format feature. Add extra interest to your walls with the Sandbar structure finish inspired by natural sand ridges found on the beach."









Pebble Rockfall Structure



Pebble Sandbar Structure


Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com Specification and floor value information can also be found on page 122.

MINERALS

PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE 2CM (ABSOLUTE)



Finishes: PFW Natural / Bush Hammered (PTV 4S 36+ and PTV TRL 36+) / Grip (PTV 4S 36+ and PTV TRL 36+) / Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

"Minerals offers an on-trend colour palette of seven neutral shades from Chalk to Charcoal, showcasing an elegant stone effect, perfect for tranquil spaces. Varied finishes include Natural, Bush Hammered, Grip and Grip+ 2cm to deliver on performance. With a wide selection of ten sizes available, ranging from strips of 600x50mm all the way up to 2700x1200mm, Minerals is versatile in its applications, with co-ordinating mosaics and skirtings also featured."






Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

MINERALS WALL


GLAZED CERAMIC | WALL TILES

STONE STRUCTURE ABSOLUTE



Sizes: 🖸 🛛 900x300x11mm Finishes: 🖸 🕅 Natural

"Experiment with texture with the Minerals Wall collection. Geometric patterning comes to the fore in three varied finishes available across four neutral tones of Chalk, Dolomite, Limestone, and Flint. Dot Structure adds soft circular detailing, Hexagon Structure allows the interplay of light across its tactile surface, and Linear Structure provides ridged profiling. Minerals Wall is perfect for adding dimension to create a contemporary feature in any commercial interior."





Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.



Dolomite



Flint Dot Structure



Dolomite



Flint Hexagon Structure



Dolomite



Flint Linear Structure

MODERN

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SELECT



Sizes: P F W 600x600x9mm / 600x300x9mm Finishes: P F W Natural (PTV 4S 36+) / Polished

"Evoking neutral tones, Modern offers a classic colour palette to convey sophistication and elegance. Fully stocked in the UK in Natural and Polished finishes, and two large format sizes of 600x600mm and 600x300mm, any combination from this range lifts the luxury of a space. The Natural finish achieves a PTV slip resistance rating of 36+ so is well suited for both residential and commercial applications. From the lighter notes of lvory and Oyster to the richer shades of Slate and Graphite, Modern delivers clean lines and calming tones to achieve an opulent look."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

HUDSON

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE SELECT



Manhattan

Manhattan Rockfall Structure Manhattan Sandbar Structure

Sizes: 🖸 👿 600x300x10mm 📳 🖹 👿 600x600x10.5mm / 300x300x8.3mm / 150x150x8.3mm Finishes: C W Matt P F W Matt (PTV 4S 36+)

"Hudson's stone effect tiles are complemented by a colour palette that includes the warm sandy tones of New Jersey to the deep, moodier greys of Brooklyn, each evoking a sense of the urban city. Structure comes to the fore with this range, with both Rockfall and Sandbar available in a Matt finish. Rockfall delivers a riven texture, Sandbar features a fragmented linear effect and Natural achieves a weathered, distressed look. Size options are available from 150x150mm up to 600x600mm."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com Specification and floor value information can also be found on page 122.



New Jersey Rockfall Structur



New Jersey Sandbar Structure

Brooklyn

COUNTY


GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE (INTRO)



Sizes: C W 300x200x8mm P F W 305x305x8mm Finishes: CW Matt PFW Matt

"County presents a neutral colour palette including Classic White and Rustic Taupe. With elements of natural stone, County showcases a weathered look to create natural variation for a room full of character. Wave décor options are also available in Natural Grey, Old Stone, and Rustic Taupe to complement the field tiles."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

NATURAL TONES


GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE MARBLE SELECT



Sizes: C W 600x300x10mm (Co-ordinating mosaics are also available) P F W 600x600x10mm Finishes: C W Matt / Gloss P F W Matt / Gloss

"Natural Tones offers a neutral colour palette of nine tones ranging from Dove Marble to Charcoal Stone. Each colour is available in a 600x300mm ceramic option and a 600x600mm co-ordinating porcelain option for seamless installation. Decorative mosaics incorporate tones from across the range to add variation of colour and visual interest."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.



Charcoal Stone



REFINE

PORCELAIN & CERAMIC | FLOOR & WALL TILES

STONE 2CM (ABSOLUTE)



Sizes: PFW 2700x1200x6mm / 1200x1200x9mm / 1200x1200x20mm / 1200x600x9mm / 900x900x9mm / 900x900x20mm / 900x450x9mm / 600x600x9mm / 600x300x9mm / 600x100x9mm (Co-ordinating mosaics and fittings are also available)

Finishes: PFW Natural / Grip (PTV 4S 36+ and PTV TRL 36+) / CW Natural Grip+ 2cm (PTV 4S 36+ and PTV TRL 36+)

"Taking inspiration from the natural characteristics of stone, Refine offers four colours from the warm, sandy undertones of Dune to the deep, gunmetal grey of Basalt. Natural and Grip finishes are available in all four colour-ways, with the Grip providing a PTV 36+ slip resistance rating, ideal for commercial installations. A Grip+ 2cm option is also featured in Dune and Pewter in 900x900mm and I200xI200mm, perfect for extending tiling outdoors. Experiment with nine different size options and four décor mosaics to choose from."



1200x600x6mm Ductile



Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

REFINE WALL

GLAZED CERAMIC | WALL TILES

STONE STRUCTURE ABSOLUTE



Sizes: 🖸 🕅 900x300x11mm Finishes: 🖸 🕅 Natural

"This architectural wall collection provides a classic palette of four neutral tones. Understated colours are paired with geometric designs to create a striking combination. This stone-effect range features three profiles: Peak, Calm, and Prints. Peak showcases chevron patterning, with Calm and Prints featuring linear structures. Explore the possibilities with horizontal or vertical lay patterns."







Pewter Peak Str



Basalt Peak Structure



Pewter Prints Structur




Basalt Prints Structure

RIVERSTONE

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE STRUCTURE SELECT



Sizes: P F W 900x450x12mm / 900x220x10mm / 600x600x10mm / 600x300x8.5mm / 200x200x6.5mm (Co-ordinating mosaics and fittings are also available)

Finishes: 🖻 F 🕅 Natural (PTV 4S 36+)

"Riverstone exhibits a stone effect look with a stunning structured finish that creates a realistic stone texture. Available in four elegant, neutral shades of White, Beige, Light Grey and Black, Riverstone offers sizes from 200x200mm to 900x450mm for both wall and floor applications. This range offers the complete package with co-ordinating mosaics and skirtings available in all four colours to elevate the look to the next level."





 Key:
 P
 Porcelain
 W
 Wall Tiles
 F
 Floor Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com.

 Specification and floor value information can also be found on page 122.

CAMBRIDGE

GLAZED CERAMIC | WALL TILES

STONE SELECT



Size: 💽 🛛 600x300x10mm Finish: 🖸 🖤 Textured

"Cambridge offers a timeless colour palette perfect for residential applications, with Old Stone, Classic White, and Natural Grey to choose from. Old Stone displays tones of wheat; Classic White is cool and calming; and Natural Grey has silvery base notes. With a textured matt finish, Cambridge offers a stone effect look to bring a touch of natural inspiration."





 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

BRICS

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE STRUCTURE ABSOLUTE



Size: P F W 250x60x10mm Finish: PFW Natural (PTV 4S 36+)

"Brics is a range of rustic glazed porcelain slim format tiles, taking inspiration from the natural irregularity of exposed brick. With a weathered finish for an industrial, modern aesthetic, Brics offers six colour profiles. Ranging from Docklands Grey with a gunmetal grey palette, to Noho Red Blend to create a sense of warmth, to Tokyo Red with a rusted red look reminiscent of traditional brick work, Brics has plenty of options."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122. HARBOUR

GLAZED CERAMIC | WALL TILES

STONE STRUCTURE SELECT




Sea Spray Rock Structure Quay Grey Rock Structur

Breakwater Rock Structure

Size: CW 400x150x10mm Finish: C 🛛 Matt

"Harbour encapsulates the aesthetic of sea-weathered rocks with distressed markings and a structured finish. Available in three colourways of Sea Spray, Quay Grey and Breakwater, Harbour is perfect to create a rustic ambience. Sea Spray displays fresh tones of white; Quay Grey is reminiscent of sea-washed pebbles while Breakwater showcases a darker grey shade."





è 🗐

LAGOS


GLAZED PORCELAIN | FLOOR & WALL TILES

STONE STRUCTURE INTRO



Size: P F W 330x330x8.5mm Finish: P F W Matt

"Featuring beautiful, textured tiles emulating natural slate, Lagos is the perfect backdrop for any installation. Team with neutrals for an understated elegance, or pair with colours for a stunning design scheme. With one size available of 330x330mm, Lagos contains five colours, including White, Beige, and Black."





 Key:
 Porcelain
 W Wall Tiles
 F Floor Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

CLASSICS


GLAZED CERAMIC | WALL TILES

STONE MARBLE SELECT



Sizes: 🖸 🖤 600x300x10mm / 300x200x8mm Finishes: 🔄 🖤 Gloss / Satin / Silk

"Influenced by the beauty of natural marbles and stones, Classics provides six colour options ranging from timeless White Carrara to warm Crema Marfil. Available in 300x200mm, and certain colours also offering a 600x300mm option, Classics is ideal for residential interiors."





 Key:
 Ceramic
 W
 Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com.

 Specification and floor value information can also be found on page 122.







Brushed Stone

Marblestone

Slate

ROMA

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE SPECKLE SELECT



White

Dark

Sizes: PFW 660x660x10mm / 250x220x10mm Hexagon Finishes: P F 🖤 Natural

"Featuring shards of colour ranging from rusted red to sapphire blue, the Roma range brings a sense of playfulness. With base colours of Dark, White, or Silver Grey, Roma is perfect to bring a youthful sense of fun. Dynamic and different, Roma is available in a 250x220mm hexagon and 660x660mm in all colours."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

CITY TOUCHSTONE

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE STRUCTURE INTRO



Sizes: C W 360x275x8mm P F W 600x600x9.3mm / 450x450x8.2mm Finishes: C W Matt P F W Matt

"This range echoes the characteristics of stone with a classic colour offering of White, Beige, Light Grey, and Mid Grey. Co-ordinating floor options are available in two different sizes to complete a fuller design look. Experiment by pairing the field tiles with the fractured structured options where variation comes to the fore, with base tones of Beige or Grey finished with a ridged texture."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.





Mid Grey

Beige Mix Split-face Structure

Grey Mix Split-face Structure

BOUNDARY

GLAZED PORCELAIN | FLOOR & WALL TILES

STONE 2CM SELECT



Sizes: P F W 600x600x9mm / 600x600x20mm / 600x300x9mm Finishes: P F W Natural / Lapato / Natural + 2cm (PTV 4S 36+ and PTV TRL 36+)

"Boundary combines form and function with five muted tones across three finishes – Natural, Lapato and Natural+ 2cm. Natural is minimalist in its luxury; Lapato adds a semi-polished shine and Natural+ 2cm provides a PTV 36+ slip resistance rating, ideal for commercial applications. Try in warm Earthtones or rich Storm for added impact."





 Key:
 Porcelain
 W Wall Tiles
 F Floor Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page I 22.

ECHO


GLAZED CERAMIC | WALL TILES

STONE STRUCTURE (INTRO)



Size: C W 300x200x8mm Finish: C W Gloss

"This glazed ceramic wall collection offers a neutral, contemporary palette, ideal for residential interiors. With three colours to choose from, Glacier, Desert, and Shadow, Echo creates calming, sophisticated interiors. Combine with the linear decorative options available in all three shades to add visual interest."





 Key:
 Ceramic
 W
 Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.





Shadow Linear Structure

Desert

Desert Linear Structure

TERRAZZO

GLAZED PORCELAIN | FLOOR & WALL TILES


STONE SPECKLE SELECT



Light Stone

Sizes: 📳 F 🕅 1600x800x9.8mm / 800x800x9.8mm / 800x400x9.8mm / 600x600x9.5mm / 600x300x9.5mm Finishes: P F 🕅 Natural / Textured

"An urban inspired range of rectified glazed porcelain floor and wall tiles. Available in a dual colour palette of Light Stone and Dark Stone, Terrazzo contains chips of colour to emulate the look of marble. With the fragments ranging from white to steel across the two colour-ways, Terrazzo explores variation. Suitable for use internally and externally, Terrazzo offers size options from 600x300mm to 1600x800mm with two finishes available making it extremely versatile in its applications."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

ARLO

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

STONE SELECT



Shale

Sizes: 🖸 🖤 600x300x10mm / 600x300x10mm Scored 🛛 🖻 🕅 600x600x10mm Finishes: CW Silk PFW Matt (PTV 4S 36+)

"Exploring natural stone patterning and incorporating glossy print areas, Arlo creates a subtle shimmer effect across two on trend neutral tones of Shale and Flint in 600x300mm. Paired with a simple scored décor option, and co-ordinating flooring options in 600x600mm, create minimalistic settings that echo a modern aesthetic."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

河回

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

PRODUCT STYLE:

Our selection of concrete effect products ranges from small format wall options with a stunning weathered effect, to large format structured flooring products with PTV 36+ slip resistance ratings. Tile your next project here with products ideal for residential applications.

I Marc Ceme	Ashlar Weathered White (Page 53)	Hudson Albany White (Page 31)	Rebus Mercury (Page 51)
5 Atriv Grapi	Fitzrovia Pearl (Page 55)	Savoy Floor Concrete (Page 54)	Hudson Brooklyn (Page 31)
9 Atri	CKDROP Ashlar Weathered W		




Villa Land



ATRIUM

GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE SELECT



Sizes: P F W 900x450x12mm / 600x300x8.5mm / 592x592x10mm / 450x450x8.5mm (Co-ordinating mosaics and fittings are also available)

Finishes: P F W Natural / Grip (PTV 4S 36+ and PTV TRL 36+)

"Atrium is both simple and strong, with a stormy palette of four colours that deliver room-defining character. With numerous large format sizes available in both a Natural and Grip finish, this range captures the effect of concrete to deliver a modern, industrial look. The Grip finish offers a PTV slip resistance rating of 36+, making Atrium the perfect choice for high-traffic, large open spaces."



20%

Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

REBUS

PORCELAIN | FLOOR & WALL TILES

CONCRETE 2CM ABSOLUTE



Sizes: 📳 🖹 🖤 1200x1200x6.5mm / 1200x600x6.5mm / 900x900x10mm / 900x900x20mm / 600x600x10mm / 600x600x20mm / 600x300x10mm (Co-ordinating fittings are also available)

Finishes: 🗾 F 🕅 Natural / Grip (PTV 4s 36+ and PTV TRL 36+) / Grip+ 2cm (PTV 4s 36+ and PTV TRL 36+)

"Rebus offers a selection of concrete effect porcelain tiles showcasing neutral and grey tones. The cool colour palette and speckled effect design make for a versatile range that looks as at home outdoors as it does inside. With sizes available from 600x300mm to 1200x1200mm, Rebus creates a sense of space and sophistication. Grip and Grip+ 2cm achieve a PTV 36+ slip resistance rating, perfect for any setting."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.






Mercury

Platinum

MARCO

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

CONCRETE STRUCTURE SELECT



Cement

Cement Dimensions Structure

Sizes: C W 600x300x8mm / 600x300x8mm Scored P F W 600x600x10mm Finishes: C W Matt P F W Matt (PTV 4S 36+)

Cement

Rockfall Structure

"Introduce texture into your interiors with a micro square design and complementary field tiles featuring a softly textured surface. Available in Clay, Putty and Cement, the beautiful décor options are designed to highlight a feature wall with the intricate square shapes creating texture and depth. Combine the décor with the coordinating scored tiles available in this range for a complete contemporary look."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

ASHLAR

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

CONCRETE SELECT



Sizes: 💽 🕅 600x300x10mm / 600x300x10mm Scored / 300x200x8mm 📳 🖹 🖤 600x600x10mm Finishes: Textured PFW Matt (PTV 4S 36+)

"Ashlar showcases a stunning weathered textured effect available in three colours. Weathered White creates an airy bright feel, Warm Taupe has sandy notes perfect for creating a sense of relaxation, and Crafted Grey has a deeper tone, building a sense of warmth and comfort. All three colours offer a beautiful scored decorative option, with a complementary floor tile available to complete the look."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com Specification and floor value information can also be found on page 122.

SAVOY FLOOR

GLAZED PORCELAIN | FLOOR & WALL TILES

CONCRETE PATTERN SELECT



Beige Mix

Boxes contain a random mix of all four designs shown above.

Blue Mix

Boxes contain a random mix of all four designs shown above.

Sizes: P F W 200x200x8.5mm

Finishes: 🛛 🕞 🖤 Natural (PTV 4S 36+)

"A contemporary range of glazed porcelain wall and floor tiles featuring a rustic concrete effect field tile and a selection of modern geometric patterns. Savoy Floor is available in four colour-ways and a single natural finish. Each of the designs is dynamic and bold and can be used alone or as part of a patchwork. Explore the possibilities."





20

Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122. **FITZROVIA**

GLAZED CERAMIC | WALL TILES


CONCRETE SELECT



Pearl

Size: 🖸 🕅 600x300x10mm Finish: 🖸 🛛 Gloss

"Inspired by our man-made surroundings, Fitzrovia celebrates a rustic appearance through understated distressed markings. Available in Pearl or Silver in a timeless gloss finish, Fitzrovia effortlessly creates light and warmth for any interior."





Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

PRODUCT STYLE:

From understated elegance to lavish luxury, this selection emulates the beauty and irregularity of natural marble, delivering on sophistication and style. Wall and floor options are available, with a variety of styles suitable for all residential applications.

	Luxx Turtle Décor (Page 58)	2	Bianco Taupe Marble (Page 61)	3	Melford Marble Dark Grey (Page 62)	4	Labyrinth Calacatta (Page 69)
5	Luxx Snake Décor (Page 58)	6	Glide White Carrara (Page 60)	7	Classics Carrara (Page 41)	8	Darlington Pewter (Page 59)
_							

9 Luxx Cheetah Décor (Page 58)


BACKDROP Luxx Bianco Carrara Polished I200x600x6.5mm (Page 58)





LUXX GLAZED PORCELAIN | FLOOR & WALL TILES

MARBLE PATTERN ABSOLUTE



Sizes: P F W 2600x1200x6.5mm / 1200x1200x6.5mm / 1200x600x6.5mm / 600x600x6.5mm (Co-ordinating mosaics and fittings are also available)

Finishes: P F 🕅 Natural / Polished

"Luxx is an exciting range of marble effect products, with a variety of different prints available to suit any design scheme. With options ranging from Pinto Marble and Carbon Quartz to the four featured animal prints of Turtle, Snake, Cheetah, and Zebra, Luxx is a stunning range, ideal for adding character and variation. With eight co-ordinating mosaic options and two animal print inlays also available, experiment with lay patterns for a striking visual impact."






Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

DARLINGTON

GLAZED CERAMIC | WALL TILES

MARBLE SELECT



Pewter

Sizes: 🖸 🕅 600x300x10mm / 600x300x10mm Scored Finish: 🖸 🛛 Gloss

"Taking inspiration from marbles with a contemporary twist, Darlington captures classic vein detail. With an on-trend colour palette ranging from light Pearl to deeper Pewter, Darlington adds character and interest with each colour also offering a twice scored decorative option. Try introducing the patchwork décor designs for an eclectic aesthetic with modern vibes."





Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

Patchwork Décor

GLIDE

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE STRUCTURE SELECT



Sizes: C W 600x300x9mm P F W 600x600x9.4mm Finishes: CW Gloss / Matt P F W Matt / Polished

"With the calming, neutral tone of pure white threaded with the gentle veining of carrara marble, Glide proves that simplicity can still make a big impact. Understated and elegant, Glide showcases calm serenity with a timeless finish, expanding the limits of any space with an airy, light, bright feel. With the linear structured décor options providing textural definition, this range delivers clean, sleek looks, bringing sophistication and style to any setting."






Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

BIANCO

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE SELECT




White Marble

Taupe Marble

Sizes: CW 600x300x10mm PFW 600x600x10mm Finishes: CW Matt PFW Matt (PTV 4S 36+)

"A modern marble effect range, Bianco is stunning in its simplicity. With two colour-ways of Taupe and White offering natural marble veining, Bianco is ideal for calming, opulent interiors. Wall options are available in 600x300mm with complementary flooring options featured in 600x600mm."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

MELFORD MARBLE

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE STRUCTURE INTRO



Light Grey

Light & Dark Grey Hexagon Structure

Sizes: C W 600x300x10mm / 300x200x8mm P F W 600x600x10mm Finishes: CW Matt PFW Matt (PTV 4S 36+)

"Inspired by the beauty and irregularity of natural marble, Melford Marble is a classic range of ceramic wall and porcelain floor tiles. Available in a matt finish, Melford Marble includes two striking colours of Light Grey and Dark Grey featuring distinctive veining."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

SIENA

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

MARBLE SELECT



Sizes: 🖸 🖤 600x300x10mm / 600x300x10mm Scored 🛛 🖻 🕅 600x600x9.5mm Finishes: C W Gloss P F W Gloss

"Siena showcases a marble effect featuring two subtle neutral colours of Grey and Beige in a single gloss finish, and is an elegant addition to any residential interior space. Available in two large format sizes of 600x600mm and 600x300mm, Siena also offers a twice scored option for added creativity."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.


	Drift Summer Shadows (Page 71)	2	Labyrinth Wood Dark (Page 69)	3	Oslo Aged Grey (Page 68)	4	Loft Beige Mix (Page 70)
5	Labyrinth Wood Mid (Page 69)	6	Oslo Carbon Grey (Page 68)	7	Labyrinth Wood Light (Page 69)	8	Galloway Walnut (Page 66)



GALLOWAY

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD ABSOLUTE



Sizes: PFW 1190x200x10.5mm / 600x600x10.5mm (Co-ordinating fittings are also available) Finishes: P F W Natural / Grip (PTV 4S 36+ and PTV TRL 36+)

"Galloway, inspired by parquet flooring, features three colours ranging from light Birch to deep Walnut. Engaging with shape, Galloway offers four framed designs of Maise, Basketweave, Cross and Chevron. Maise and Basketweave play with overlay to create dynamic configurations, whilst Cross and Chevron explore diagonals. Slim format plank options and co-ordinating skirtings are also available."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122. **KIELDER**

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD SELECT



Size: PFW 1140x200x10mm Finish: PFW Natural

"Kielder takes inspiration from the natural world to replicate the beauty of the forest with four options which explore the interplay between light and our natural environment. Autumn Dawn is characteristic of the first blush of light across the natural movement of the wood, whilst Evening Glow evokes the tones of a warm sunset. Frosty Oak features cooler notes reminiscent of a crisp winter morning, whilst Midnight Forest works with darker shades to showcase deep night."





Key: C Ceramic P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.



Midnight Forest

OSLO

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD ABSOLUTE



Size: PFW 1200x200x10.5mm / 750x150x9mm (Co-ordinating fittings are also available) Finish: PFW Natural (PTV 4S 36+) / Grip (PTV 4S 36+ and PTV TRL 36+)

"Showcasing a bleached, aged look, this wood effect range features four colours – Raw, Weathered White, Aged Grey, and Carbon Grey. Natural and Grip finishes are available in this range, with the Grip achieving a PTV slip resistance rating of 36+. Two large format plank options of I200x200mm and 750xI50mm are featured, perfect for opening out spaces and adding a nature-inspired aesthetic to any design."





Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

LABYRINTH

GLAZED PORCELAIN | FLOOR & WALL TILES

WOOD MARBLE ABSOLUTE



Sizes: PFW 520x100x8.5mm Chevron A & B / 230x100x8.5mm Trapezium Finish: 🖻 F 🖤 Natural

"Labyrinth is an intriguing range which showcases three different shapes that can be used interchangeably to create striking designs full of personality. The four colour-ways include Light, Mid, and Dark Wood, juxtaposed with a Calacatta Marble option to bring an extra touch of opulence. Combine different shapes in one colour-way, or experiment with the versatility of the range by mixing and matching all four colour-ways across the shape options. A trapezium and two chevrons form the basis for the shapes within this range, providing a luxurious look."







Calacatta

LOFT

GLAZED PORCELAIN | FLOOR & WALL TILES


WOOD ABSOLUTE



Beige Mix

Size: PFW 280x70x8mm Finish: PFW Natural

"Loft is a stylish slim format porcelain wall and floor tile. Designed with a striking colour and shade variation, Loft embodies a distressed effect reminiscent of exposed, paint-stripped wood. Available in a natural finish in 280x70mm, try fixing Loft in a herringbone pattern for even more visual interest."





 Key:
 P
 Porcelain
 W
 Wall Tiles
 F
 Floor Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

DRIFT


GLAZED CERAMIC | WALL TILES

WOOD STRUCTURE INTRO



Size: C W 300x200x8mm Finish: C W Matt

"Drift provides an earthy palette emulates colours associated with nature. The matt structured finish further implies a nod towards our natural surroundings, with inspiration taken from the subtlety of wood, windswept reeds and rushes. Spring Frost showcases a cooler tone, whilst Autumn Reeds and Summer Shadows add warmth. Try colours on their own or combine to create zoned areas."






 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

South Bank Azure (Page 78)	South Bank Blossom (Page 78)	Devonshire Sage (Page 91)
Prismatics Peach Sorbet (Page 74)	Verso Blue (Page 82)	 90 Campbell Ocean (Page 79)
Melrose Bone (Page 80)	Prismatics Lagoon (Page 74)	1901 Trent Grey (Page 79)
Prismatics	Form	Melrose

	Prisma Sunflowe	tics er (Page 74)	Prismatics Electric (Page 7-
	Verso Rose (Pa		Savoy Floor Blue Mix (Page S
	CKDROP	South Ba 245x75x8n	





PRISMATICS

GLAZED CERAMIC | WALL TILES

COLOUR SELECT





Sizes: 🔳 🕅 200x200x6.5mm / 200x100x6.5mm / 150x150x6.5mm / 150x175x6.5mm Hexagon / 100x100x6.5mm (Co-ordinating fittings are also available) Finishes: 🖸 🕅 Gloss / Satin

"With an unrivalled offering, our Prismatics collection is perfect for colourful installations with over 60 gloss and satin shades available, spanning the entire colour spectrum. Ranging from vibrant, eye-catching colours, to neutral, warmer shades, Prismatics has it all. With colour graduated tonal profiles, it is easier for specifiers to identify complementary shades quickly and easily. Co-ordinating fittings are also available in selected colours to provide a complete finished look."





Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

SAVOY WALL

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT

Luna	Luna Geometric Structure	Oat	Oat Geometric Structure	Grain	Grain Geometric Structure
Caraway	Caraway Geometric Structure	Dew	Dew Geometric Structure	Steel	Steel Geometric Structure
Noir	Noir Geometric Structure	Leaf	Leaf Geometric Structure	Sage	Sage Geometric Structure
					\ge
Bone	Bone Geometric Structure	Pebble	Pebble Geometric Structure	Slate	Slate Geometric Structure
Petrol	Petrol Geometric Structure	Ink	Ink Geometric Structure	Marine	Marine Geometric Structure

Sizes: C W 300x100x8mm / 200x100x6.5mm (Co-ordinating fittings are also available)

Finishes: 🖸 🖤 Gloss

"A stylish range of ceramic wall tiles designed with a contemporary colour palette and two slim-format sizes. Exploring variation, Savoy Wall delivers stunning depth of colour across fifteen tones from the muted Luna to the vibrant Marine. With a gloss décor option available in every colour and a selection of co-ordinating fittings, Savoy Wall is a versatile, modern collection that's sure to be a favourite."





 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

SOUTH BANK

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Sizes: CW 245x75x8mm Finishes: CW Gloss

"This award-winning range of UK-manufactured ceramic wall tiles is available in 8 on-trend colours and a new slim size of 245x75mm. South Bank offers a transparent gloss finish possessing depth and variation of contemporary colour. The slim format allows for the creation of truly unique lay patterns to maximise the creative possibilities within any interior. Featuring the signature colours of Azure, Blossom and Dusk, which are underpinned by a complementary, neutral palette ranging from the subtle, calming Snow to the warmer hue of Pearl, this range allows for the creation of diverse and harmonious colour combinations."





 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

1901

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT



Sizes: 245x75x8mm Finishes: W Gloss

"A proud celebration of our heritage, 1901 pays homage to traditional glaze effects. With a rustic structure on the contemporary slim brick format of 245x75mm, 1901 gives the illusion of beautiful, handcrafted qualities. The seductive colour palette takes inspiration from the Astral trend, showcasing rich indigo, sumptuous ruby and bottle green, along with the classic tones of white, black and grey. Named for aspects of our history, this collection creates an opulent, luxurious aesthetic."





 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

MELROSE

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE SELECT



Sizes: 🖸 🖤 245x75x8mm Finishes: 🖸 🛛 Gloss

"Manufactured in the UK, Melrose features a rustic structure combined with a glossy glaze to give a handcrafted aesthetic. With natural variation in colour and texture suitable for any interior space, Melrose offers 5 neutral tones of Bone, Pewter, Slate, Moss, and Stone. Available in an on-trend slim format of 245x75mm, Melrose provides a modern look ideal for any interior space."







Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

DUPLET


GLAZED CERAMIC | WALL TILES

COLOUR SHAPE ABSOLUTE



Sizes: Si Finishes: 🖸 🕅 Gloss / Matt

"Showcasing an architectural colour palette designed to co-ordinate with our Modern collection, Duplet features 6 neutral tones ranging from Chalk to Graphite. Duplet is influenced by the Geometrics trend to create symmetry and balance within a space. The chevron format provides a stylish wall feature, with Matt and Gloss finishes available in every colour. Add a subtle hint of sophistication and playfulness through the exploration of layout patterning to provide a contemporary dynamic."









VERSO

GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR ABSOLUTE



Sizes: PFW 370x92x9mm Finishes: P F W Natural (PTV 4S 36+)

"With distinctive colours like Burnt Orange and Rose, Verso is not afraid to be bold. This is an impressive range that makes a striking statement in any shade. Plus, with all colour-ways achieving a PTV 36+ slip resistance rating, Verso has the performance credentials to back up its powerful colour palette."



50%

Key: P Porcelain W Wall Tiles F Floor Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

FORM

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Size: 🖸 🖤 400x150x10mm Bevel Finish: 🖸 🛛 Gloss

"Form features a colour palette of eight tones including sandy Sahara, Azure blue, and delicate Whisper to deliver on colour and character. With a bevelled edge providing depth and dimension, Form is available in a stunning gloss finish. Experiment with a herringbone pattern or coloured grouts to create sleek looks that really make an impact."





Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

Sahara

TONES

GLAZED CERAMIC | WALL TILES


COLOUR STRUCTURE SELECT

White	White Wave Structure	White Nano Structure	White Polygon Structure	Cream	Cream Wave Structure
Latte	Latte Wave Structure	Mocha	Mocha Wave Structure	Steam	Steam Wave Structure
Smoke	Smoke Wave Structure	Charcoal	Charcoal Wave Structure	Charcoal Nano Structure	Charcoal Polygon Structure
Cream Linear Mix	Mocha Linear Mix	Steam Linear Mix	Smoke Linear Mix	Forest Décor	

Size: 🖸 🕅 400x150x10mm Finish: 🖸 🛛 Matt

"Tones features an organic pallet including natural White for clean lines and deep Mocha for statement instalments. With the Wave décor mirroring the rippling effect of water, and a Forest option bringing a touch of the natural, Tones explores texture and depth, with a Nano and Polygon finish also available in select colours."







Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

BEVEL BRICK


GLAZED CERAMIC | WALL TILES

COLOUR INTRO



Size: 🖸 🕅 200x100x6.5mm Bevel Finish: 🖸 🛛 Gloss

"Boasting seven high gloss colours, Bevel Brick will bring any interior space alive. From fire engine Red to soothing Sage, this range scores high on personality with the classic bevelled edge adding depth and dimension. Try fitting Bevel Brick in a herringbone pattern or with coloured grouts for stunning results."





Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

KENSINGTON

GLAZED CERAMIC | WALL TILES

COLOUR SELECT



Sizes: Sizes: S00x50x10mm / 300x75x10mm / 250x50x10mm / 150x75x10mm Finish: 🖸 🛛 Gloss

"Kensington is a stylish collection of rustic slim-format ceramic wall tiles. With a hand-crafted effect, Kensington offers a cool colour palette exploring sea tones and fresh neutrals, with available colours ranging from wintry Snow to inky Coal and soft Sage. Experiment with Chalk, Storm, and Smoke for a colour graded tonal grey design."








Coal

STUDIO

GLAZED CERAMIC | WALL TILES

COLOUR STRUCTURE INTRO



Sizes: 🖸 🕅 360x275x8mm / 360x275x8mm Scored / 360x50x8mm Border Finishes: 🖸 🕅 Gloss / Satin

"Studio offers a warm colour palette with base tones of cream, white and sand. The Gloss finish reflects light for a modern look, while the Satin options are more delicate. Try pairing with the complementary scored or linear décor options to create a design feature or use on their own for a statement finish. Bordered options are also available to complete the look."





Key: C Ceramic W Wall Tiles

Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

THREADS


GLAZED CERAMIC | WALL TILES

COLOUR PATTERN INTRO



Size: 🖸 🕅 300x200x8mm Finish: 🖸 🛛 Satin

"This ceramic wall tile range provides a textured finish for a tactile quality. With a soft palette of three colours, including Cotton, Taupe, and Flax, Threads showcases a subtle stripe pattern to explore variation and depth."






MONOCHROME

GLAZED CERAMIC & PORCELAIN | WALL & FLOOR TILES

COLOUR PATTERN SELECT



Size: C ₩ 200x100x6.5mm P F ₩ 150x150x8mm Finish: C ₩ Gloss P F ₩ Natural (PTV4S 36+)

"A simple collection of ceramic and porcelain wall and floor tiles, featuring a palette of three neutral colours. The Décor option offers a geometric pattern which can be paired with the Border tiles or corresponding field products to create dynamic, lively interiors."





 Key:
 Ceramic
 Porcelain
 W Wall Tiles
 F Floor Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

DEVONSHIRE

GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR PATTERN SELECT



Size: PFW 330x300x8.5mm Finish: PFW Matt

"Devonshire offers a neutral palette, featuring three colourways all available in a single matt finish. Devonshire takes inspiration from the Geometric trend with a floral pattern, perfect for creating distinctive designs. Opt for the Blue colourway to echo Dulux's 2022 Colour of the Year Bright Skies" for a refreshing, calm ambience."





 Key:
 Porcelain
 W Wall Tiles
 F Floor Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

CHROMA

GLAZED CERAMIC | WALL TILES

COLOUR SELECT







Key: C Ceramic W Wall Tiles Note: Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

PARADE

UN-GLAZED PORCELAIN | FLOOR & WALL TILES

COLOUR SELECT

White Black

Sizes: PFW 600x600x10mm Finishes: PFW Polished


"A contemporary porcelain floor tile range, Parade is perfect for creating a classic look. With a Polished finish, Parade offers a luxurious sheen in inky Black or understated White."





PRODUCT STYLE:

Timeless and classic, our selection of white tiles varies from simple and stylish pure white field tiles to structured, decorative options for a delicate touch of texture.








ARCTIC WHITE


GLAZED CERAMIC | WALL TILES

WHITE SELECT



Sizes: W 600x300x10mm / 600x200x10mm / 400x150x10mm / 300x100x8mm Finishes: W Gloss / Satin

"Stylish in its simplicity, Arctic White offers white ceramic wall tiles in both satin and gloss finishes for a cool, contemporary look. Available sizes range from 300x100mm, perfect for a small feature or back-splash, up to 600x300mm for a larger installation."






 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

EMINENCE

GLAZED CERAMIC | WALL TILES

WHITE STRUCTURE SELECT



Size: 🖸 🕅 600x300x9mm Finishes: 🖸 🕅 Gloss / Matt

"Cool and calm, Eminence is a stunningly simple range of porcelain rectified wall tiles. Available in gloss and matt finishes, Eminence is perfect for adding a sense of serenity and elegance to busy spaces. Structured options Linear, Weave, and Reed can be used to complement the pure field tiles, or as the main feature."



50% epd

 Key:
 C
 Ceramic
 W
 Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com.

 Specification and floor value information can also be found on page 122.

White Weave Structure

.....

POLAR WHITE

GLAZED CERAMIC | WALL TILES

WHITE STRUCTURE INTRO

White	White	White	White
	Wave Structure	Split-face Structure	Bumpy Structure

Sizes: 🖸 🖤 300x200x8mm / 300x200x8mm Scored One-way / 300x200x8mm Scored Two-ways / 200x200x6.5mm Finishes: 🕻 🖤 Gloss / Satin

"Our Polar White range is perfect for adding a sense of tranquillity to any interior. Reflecting light, this range can make a room feel clean, serene, and refreshingly simple. Polar White offers a variety of finishes to add texture to any design scheme. Bumpy Gloss showcases a dappled effect, Gloss Wave emulates the natural movement of water, and Satin Structured offers a fragmented, linear look."






 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com. Specification and floor value information can also be found on page 122.

TUNDRA


GLAZED CERAMIC | WALL TILES

WHITE STRUCTURE INTRO



Sizes: Sizes: 360x275x8mm Finishes: GW Gloss / Matt

"A collection of plain and textured white ceramic tiles, Tundra is perfect for mixing and matching. Available in 360x275mm, Tundra offers gloss and matt finishes, with complementary Dimensions options available to create textured elements for stand-out design features."





 Key:
 Ceramic
 W Wall Tiles

 Note:
 Size and finish availability may vary by colour. For the most up-to-date availability and technical information simply scan the qr code shown or visit our website - www.johnson-tiles.com.

 Specification and floor value information can also be found on page 122.





Our tiles have been installed in a variety of residential projects. Over the following pages discover a hand-picked selection of stunning case studies covering every type of residential setting, all featuring products from our residential portfolio.

Par 3 Development by Cyden Homes Humberton, Lincolnshire

Greenwich Townhouse by The 2LG Studio Greenwich, London

Wedgwood Park by David Wilson Homes Wedgwood, Staffordshire Kingswood Manor

Juniper House by The 2LG Studio







Luxury Loft Living by The Drapery Apartments Southend-on-Sea, Essex

by Macbryde Homes Woolton, Liverpool

ARL Developments by Gladman Homes Adlington, Lancashire

Luxury Apartments by Local Blackfriars Salford, Manchester

Bollin Park by David Wilson Homes Wilmslow, Cheshire



PAR 3 DEVELOPMENT CYDEN HOMES

HUMBERSTON, LINCOLNSHIRE

The Par 3 development in Humberston has been meticulously designed by Cyden Homes and Jonathan Hendry Architects to provide beautiful properties set amongst the fairways of the former Humberston Golf Course. Such a unique setting required the highest quality and most cutting-edge interior products. For the modern kitchens and bathrooms, Johnson Tiles' Natural Tones, Prismatics, and Modern ranges succeeded in securing stunning results.

| Modern Moonstone Natural 600x600x9mm 2 Natural Tones 3 Bevel Brick Dove Marble Gloss 600x600x10mm

Black Gloss 200x100x6.5mm

4 Prismatics White Satin 100x100x6.5mm







GREENWICH TOWNHOUSE THE 2LG STUDIO

Combining pastel tones with graphic, monochrome accessories, interior design duo 2 Lovely Gays had just the tile in mind when it came to complementing their Scandinavian-inspired interiors project, for this townhouse in Greenwich. Using Johnson Tiles' Prismatics, 200x100mm in Peacock, throughout the kitchen and dining areas, a contemporary scheme unites the living space while remaining fresh and family-friendly.



WEDGWOOD PARK DAVID WILSON HOMES

WEDGWOOD, STAFFORDSHIRE

A flagship development of 209 executive homes set in the heart of the Staffordshire countryside, Wedgwood Park is the latest residential venture by David Wilson. Paying careful consideration to the exterior and interior of each individual home, only the highest quality products would suffice. Johnson Tiles' Savoy, Tones, Modern and Natural Tones ranges ensured style and sophistication for both the kitchens and bathrooms of the 'Lakeside' and 'Village' plots.


4 **Tones** Latte Matt 400x150x10mm | Modern 2 Savoy 3 Tones lvory Polished 600x300x9mm Cream Matt 400x150x10m Leaf Gloss 300x100x8mm











LUXURY LOFT LIVING THE DRAPERY APARTMENTS SOUTHEND-ON-SEA, ESSEX

For Southend's Drapery luxury loft apartments, only the most stylish, cutting-edge tiles would fit the bill for its en-suites and shower rooms. Johnson Tiles' Loft range of glazed porcelain wall and floor tiles injected an element of industrial chic to the high-end interiors, perfectly mirroring the on-trend, creative feel of the overall scheme.





KINGSWOOD MANOR MACBRYDE HOMES

WOOLTON, LIVERPOOL

Kingswood Manor is the latest high-end residential development by Macbryde Homes, Comprising just 10 exclusive four-bedroom properties, the Signature collection demonstrates only the finest finishes across its interiors. Johnson Tiles' Natural Tones features throughout the bathrooms and en suites, and the Modern range decorates the main kitchen and dining areas, whilst City Touchstone adds structured style to the bathrooms' sink and shower zones.

| Modern Moonstone Polished

600x600x9mm

Beige Matt 450x450x8.2mm

2 City Touchstone 3 City Touchstone

Beige Mix Split-face Structure Matt 360x275x8mm

4 Natural Tones Mocha Marble Gloss 600x300x10mm








JUNIPER HOUSE THE 2LG STUDIO KEW, LONDON

A combination of Prismatics in 100x100mm and 200x100mm helped achieve monochrome perfection for the bathroom at Juniper House; a residential property in Kew recently renovated by the talented design duo, 2LG Studio. In the kitchen, a mixture of matt and gloss tiles interact with the light to produce subtle surface effects, while the en-suite introduces a hint of pastel with Prismatics in Harebell, 100x100mm.

Prismatics White Gloss 100x100x6.5mm 2 Prismatics White Satin 200x 100x6.5mm 3 Prismatics Harebell Gloss 100x100x6.5mm







4 Prismatics White Gloss 200x I00x6.5mm

5 Prismatics Black Gloss 100x100x6.5mm



ARL DEVELOPMENTS GLADMAN HOMES

ADLINGTON, LANCASHIRE

Our Ashlar range was specified at two of the most recent developments by Adlington Retirement Living (ARL). ARL aims to create beautiful, spacious homes for the older generation, but alongside this, ARL aliss to creates communities with shared amenities which aim to bring residents together. Ashlar Weathered White suits the airy, bright feel of the bathrooms and helps to create the sense of a modern, relaxing oasis. The Crafted Grey has a deeper tone, building a sense of warmth and comfort, to make the bathroom a sanctuary to retreat to.

 Ashlar
 Ashlar

 Warm Taupe Textured
 Weathered White Textured

 600x300x10mm
 600x300x10mm

3 Ashlar Crafted Grey Textured 600x300x10mm
















LUXURY APARTMENTS LOCAL BLACKFRIARS

The next level in luxe city living, Local Blackfriars is a gated community comprising of 380 apartments, townhouses and penthouses across two striking towers, featuring a selection of products from our Polar White, Modern and Boundary, ranges. These are architecturally blended into a Grade II – listed former public house – The Black Friar – which has been re-purposed as a gateway entrance.

Boundary
 Storm Natural
 600x300x9mm

 Polar White
 3
 Modern

 White Satin
 Slate Natural
 600x300x9mm

BOLLIN PARK DAVID WILSON HOMES

WILMSLOW, CHESHIRE

The latest development by David Wilson Homes offers spacious four and five bedroom properties in Wilmslow. Situated in a vibrant location, the collections' interiors mirror the area's picturesque setting. Utilising Johnson Tiles' Natural Tones, Savoy, City Touchstone and Modern ranges, the trend-led schemes exude sophisticated style.

Mink Stone Matt 600x300x10mm

Natural Tones 2 Modern Pebble Stone Matt 600x600x10mm

Moonstone Natural 600x300x9mm

3 Natural Tones 4 Natural Tones Beige Mix Matt/Gloss 300x300x10mm Square Mosaic








LET'S WORK TOGETHER

We've been making beautifully designed, high-quality ceramic tiles for over 120 years, alongside a complementary portfolio of porcelain floor and wall tiles. Throughout our extensive history we've continuously invested time, energy, and resources into excelling as market leaders.

Outstanding product design is only part of what makes us the right partner for every residential developer. We are dedicated to helping every one of our customers get the very best from our tiles, from carrying unrivalled levels of stock, to ensuring that we exceed client expectations every time. By providing high-quality hand boards and support materials, we enable your clients to easily visualise their final scheme.

We underpin this with our first-class nationwide distribution network and our award-winning technical support services, offering support across every aspect of tile usage and application. Let's work together.







TECHNICAL INFORMATION

Detailed information on Specification, Floor Values, Physical Properties, Cleaning and Maintenance, Installation Advice, Accessibility and Support, PTV's, R Values, Wet Ramp, PEI's and Traffic Recommendations & Colour Shade Variation.

Specification

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
1901	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Arctic White	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Arlo	Silk	Internal Only	-		V2	Glazed Ceramic [BIII]
	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Ashlar	Textured	Internal Only	-	-	V3	Glazed Ceramic [BIII]
	Matt	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
Atrium	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [BIa]
Bevel Brick	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Bianco	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
blanco	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Boundary	Natural & Lapato	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
boundary	Natural+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Brics	Natural	Internal & External	Internal & External	Yes	V4	Glazed Porcelain [BIa]
Cambridge	Textured	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Chroma	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
City Touchstone	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
City Touchstone	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Classics	Gloss, Satin & Silk	Internal Only	-	-	V2	Glazed Ceramic [BIII]
C i	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
County	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Darlington	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Devonshire	Matt	Internal & External	Internal Only	-	VI	Glazed Porcelain [BIa]
Drift	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Duplet	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Echo	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Eminence	Gloss & Matt	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Fitzrovia	Gloss	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Form	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
Galloway	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [Bla]
	Matt & Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Glide	Matt & Polished	Internal & External	Internal Only		VI	Glazed Porcelain [BIa]
Harbour	Matt	Internal Only	-	-	V3	Glazed Ceramic [BIII]
	Matt	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Haven	Matt	Internal & External	Internal Only	-	V3	Glazed Porcelain [BIa]
	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Hudson	Natural	Internal & External	Internal Only		V2	Glazed Porcelain [Bla]
Kensington	Gloss	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Kielder	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Labyrinth	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Lagos	Matt	Internal & External	Internal Only	-	VI	Glazed Porcelain [Bla]
Latitude	Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Loft	Natural	Internal & External	Internal Only	-	V4	Glazed Porcelain [Bla]
		and a contract				[bid]

Range	Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
Luxx	Natural & Polished	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Marco	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Marco	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Melford Marble	Matt	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Metrord Marble	Matt	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Melrose	Gloss	Internal Only	-	-	٧J	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Porcelain [BIa]
Minerals	Bush Hammered, Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [Bla]
	Natural Ductile	Internal Only	-	-	V2	Ceramic [BIII]
Minerals Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Modern	Natural & Polished	Internal & External	Internal Only	-	V2	Un-glazed Porcelain [BI
	Gloss & Matt	Internal Only	-	-		Glazed Ceramic [BIII]
Natural Tones	Gloss & Matt	Internal & External	Internal Only	-		Glazed Porcelain [Bla]
	Natural	Internal & External	Internal Only	-	∨3	Glazed Porcelain [Bla]
Oslo	Grip	Internal & External	Internal & External	Yes	V3	Glazed Porcelain [BIa]
Parade	Polished	Internal & External	Internal Only	-	VI	Un-glazed Porcelain [BI
Polar White	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [BIa]
Portland	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [Bla]
Prismatics	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Rebus	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Glazed Porcelain [BIa]
	Natural	Internal & External	Internal Only	-	V2	Porcelain [BIa]
Refine	Grip & Grip+ 2cm	Internal & External	Internal & External	Yes	V2	Porcelain [BIa]
	Natural Ductile	Internal Only			V2	Ceramic [BIII]
Refine Wall	Natural	Internal Only	-	-	V2	Glazed Ceramic [BIII]
Riverstone	Natural	Internal & External	Internal Only	-	∨3	Glazed Porcelain [Bla]
Roma	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Savoy Wall	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Savoy Floor	Natural	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
	Gloss	Internal Only	-	-		Glazed Ceramic [BIII]
Siena	Gloss	Internal & External	Internal Only	-		Glazed Porcelain [Bla]
South Bank	Gloss	Internal Only	-	-	V3	Glazed Ceramic [BIII]
Studio	Gloss & Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Terrazzo	Natural & Textured	Internal & External	Internal Only	-	V2	Glazed Porcelain [Bla]
Threads	Satin	Internal Only	-	-	VI	Glazed Ceramic [BIII]
Tones	Matt	Internal Only	_	-	VI	Glazed Ceramic [BIII]
Tundra	Gloss & Matt	Internal Only	-	-	VI	Glazed Ceramic [BIII]
					·	

Floor Values

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
Arlo	Matt	Shale	Dry 36+ Wet 36+	-	-	-	IV
AILO	Matt	Flint	Dry 36+ Wet 36+	-	-	-	III
Ashlar	Matt	All Colours Shown	Dry 36+ Wet 36+	-	-	-	
Atrium	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	-	IV
Atrium	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	-	IV
Bianco	Matt	All Colours Shown	Dry 36+ Wet 36+	-	-	-	IV
Devedence	N	Earthtones & Storm	Dry 36+ Wet 25 - 35	-	-	-	Ш
Boundary	Natural	All Other Colours	Dry 36+ Wet 25 - 35	-	-	-	IV

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
	Lapata	Earthtones & Storm	Dry 36+ Wet 0 - 24	-	-	-	111
	Lapato	All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
Boundary	Network 2 and	Earthtones & Storm	Dry 36+ Wet 36+	Wet 36+	RII	-	III
	Natural+ 2cm	All Other Colours	Dry 36+ Wet 36+	Wet 36+	RII	-	IV
		Brooklyn Brown	Dry 36+ Wet 36+	Wet 36+	RII	-	П
Brics	Natural	Montmartre White & Octavia Beige	Dry 36+ Wet 36+	Wet 36+	RII	-	IV
		All Other Colours	Dry 36+ Wet 36+	Wet 36+	RII	-	111
City Taylob at a s	N4-++	White	Dry 36+ Wet 25 - 35	-	-	-	IV
City Touchstone	Matt	All Other Colours	Dry 36+ Wet 25 - 35	-	-	-	
County	Matt	All Colours Shown	Dry 36+ Wet 25 - 35	Wet 36+	-	-	111
D		Black	Dry 36+ Wet 0 - 24	-	-	-	111
Devonshire	Matt	All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
		Walnut	Dry 36+ Wet 25 - 35	-	-	-	111
	Natural	All Other Colours	Dry 36+ Wet 25 - 35	-	-	_	IV
Galloway		Walnut	Dry 36+ Wet 36+	Wet 36+	RII	-	
	Grip	All Other Colours	Dry 36+ Wet 36+	Wet 36+	RII		IV
	Matt	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	IV
Glide	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	_		_	IV
		Sand	Dry 36+ Wet 36+	-	_	-	
Haven	Matt	All Other Colours	Dry 36+ Wet 36+	_		_	
		Brooklyn	Dry 36+ Wet 36+	_	RIO	-	
Hudson	Natural	All Other Colours			RI0		 IV
			Dry 36+ Wet 36+	-	KIU	-	
Kielder	Natural	Midnight Forest	Dry 36+ Wet 25 - 35	-			
		All Other Colours	Dry 36+ Wet 25 - 35	-	-	-	
	Natural	Calacatta	Dry 36+ Wet 25 - 35	-	R9		IV
Labyrinth		Wood Dark	Dry 36+ Wet 25 - 35	-	RI0		
		All Other Colours	Dry 36+ Wet 25 - 35	-	RIO	-	111
		White	Dry 36+ Wet 0 - 24	-	-	-	
Lagos	Matt	Beige	Dry 36+ Wet 0 - 24	-	-	-	
		Light Grey	Dry 36+ Wet 0 - 24	-	-	-	
		All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV
Loft	Natural	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	IV
Luxx	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	Α	
	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	-
Marco	Matt	Clay	Dry 36+ Wet 36+	-	-	-	IV
marco	matt	All Other Colours	Dry 36+ Wet 36+	-	-	-	111
Melford Marble	Matt	Light Grey	Dry 36+ Wet 36+	-	-	-	IV
metroru Marble	Matt	Dark Grey	Dry 36+ Wet 36+	-	-	-	III
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	А	-
N4:	Bush Hammered	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	R I 0	В	-
Minerals	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	C	
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	
	Natural	All Colours Shown	Dry 36+ Wet 36+	-	-	-	-
Modern	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	-		_	
		Charcoal Stone	Dry 36+ Wet 0 - 24	-	-	-	I
		Pebble Stone	Dry 36+ Wet 0 - 24	_	_		 III
	Matt	Ecru Stone	Dry 36+ Wet 0 - 24	_	_		 IV
Natural Tones		All Other Colours	Dry 36+ Wet 0 - 24	_			
		Mocha Marble	Dry 36+ Wet 0 - 24				
	Glass						
	Gloss	Otter Marble	Dry 36+ Wet 0 - 24	-			
		All Other Colours	Dry 36+ Wet 0 - 24	-	-	-	IV

Range	Finish	Colour	PTV (4S)	PTV (TRL)	R Value	Wet Ramp	PEI
Oslo	Natural	All Colours Shown	Dry 36+ Wet 36+	-	R I 0	A	IV
	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	В	IV
Parade	Polished	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	-
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R I 0	В	-
Portland	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R I 0	В	-
Rebus	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Natural	All Colours Shown	Dry 36+ Wet 25 - 35	-	R9	А	-
Refine	Grip	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
	Grip+ 2cm	All Colours Shown	Dry 36+ Wet 36+	Wet 36+	RII	С	-
		White	Dry 36+ Wet 36+	-	R I 0	-	IV
Riverstone	Natural	Light Grey	Dry 36+ Wet 25 - 35	-	R I 0	-	
		All Other Colours	Dry 36+ Wet 36+	-	R I 0	-	
Roma	Natural	All Colours Shown	Dry 36+ Wet 0 - 24	-	R9	-	IV
Savoy Floor	Natural	All Colours Shown	Dry 36+ Wet 36+	-	-	-	IV
Siena	Gloss	All Colours Shown	Dry 36+ Wet 0 - 24	-	-	-	Ш
	N I	Light Stone	Dry 36+ Wet 25 - 35	-	RIO	-	IV
-	Natural	Dark Stone	Dry 36+ Wet 25 - 35	-	R I 0	-	
Terrazzo	T . I	Light Stone	Dry 36+ Wet 25 - 35	-	R I 2	-	IV
	Textured	Dark Stone	Dry 36+ Wet 25 - 35	-	R I 2	-	
Verso	Natural	All Colours Shown	Dry 36+ Wet 36+	-	-	-	IV

Note: Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, please refer to our website for the most up-to-date information. The slip resistance properties of a surface can only be maintained with the implementation of an effective regular cleaning and maintenance regime. The frequency of cleaning should be determined by the property manager based on the potential level of surface contaminants. The need for an additional regular cleaning and maintenance regime is further heightened when tiles are used for external floor and wet barefoot applications. PTV (4S): Pendulum Test Value – Slider 96. PTV (TRL): Pendulum Test Value – Slider 55. R Value (DIN 51130). Wet Ramp (DIN 51097). PEI: Porcelain Enamel Institute.

Physical Properties - Ceramic [BIII]

Test / Standard	Requirement	Test Result	Test / Standard	Requirement	Test Result
Length / Width EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass	Modulus of Rupture EN ISO I 0545 - 4	Min. I 5N / mm²	Pass
→ Thickness ► IN ISO 10545 - 2	± 10% ≤ ± 0.5mm	Pass	Thermal Shock EN ISO I 0545 - 9	Pass	Pass
Straightness of Side EN ISO 10545 - 2	± 0.3% ≤ ± 1.5mm	Pass	Frost Resistance EN ISO 10545 - 12	-	Not Suitable
Rectangularity EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass	Chemical Resistance EN ISO 10545 - 13	Min. Class B	Pass
↓Surface Flatness↑↑EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass	Stain Resistance EN ISO 0545 - 4	Min. Class 3	Pass
Water Absorption EN ISO 10545 - 3	10% to 20%	Pass	Fire Rating	-	Class A1 Non Combustible

Physical Properties - Porcelain [Bla]

Test / Standard	Requirement	Test Result	Test / Standard	Requirement	Test Result
Length / Width EN ISO 10545 - 2	± 0.6% ≤ ± 2mm	Pass	Modulus of Rupture EN ISO I 0545 - 4	Min. 35N / mm²	Pass
Thickness EN ISO 10545 - 2	± 5% ≤ ± 0.5mm	Pass	Thermal Shock EN ISO 10545 - 9	Pass	Pass
Straightness of Side EN ISO 10545 - 2	± 0.5% ≤ ± 1.5mm	Pass	Frost Resistance EN ISO 10545 - 12	Resistant	Resistant
Rectangularity EN ISO 10545 - 2	± 0.5% ≤ ± 2mm	Pass	Chemical Resistance EN ISO 10545 - 13	Min. Class B	Pass
↓Surface Flatness↑↑EN ISO 10545 - 2	± 0.5% ≤ ± 0.5mm	Pass	Stain Resistance EN ISO 10545 - 14	Min. Class 3	Pass
Water Absorption EN ISO 10545 - 3	≤ 0.5%	Pass	Fire Rating	-	Class A I FL Non Combustible

Note: All Ceramic [BIII] and Porcelain [BIa] products listed in this brochure conform to BS EN 14411.

Installation Advice

Codes of Practice

All fixing of floor and cladding tiles should be in accordance with the following codes of practice guidelines:

BS5385 Part | - 2018

Design and installation of internal ceramic, natural stone and mosaic wall tiling in normal conditions.

BS5385 Part 2 - 2015

Design and installation of external ceramic, natural stone and mosaic wall tiling in normal conditions.

BS5385 Part 3 - 2014

Design and installation of internal and external ceramic and mosaic floor tiling in normal conditions.

BS5385 Part 4 - 2015

Design and installation of ceramic and mosaic tiling in specific conditions

BS5385 Part 5 - 2009

Design and installation of terrazzo, natural stone, and agalomerated stone tile and slab flooring.

BS8000 Part || - 20||

Workmanship on building sites, Internal and external wall and floor tiling. Ceramic and agglomerated stone tiles, natural stone and terrazzo tiles and slabs and mosaics.

BIII (Ceramic) tiles smaller than 400x300mm require the use of an adhesive with a DI or D2 classification Larger tiles require an adhesive with C2 classification

Bla (Porcelain) tiles require the use of a polymer modified adhesive with a classification of C2* and grouts specifically formulated for the fixing and grouting of porcelain tiles.

* Check with the adhesive manufacturer for additional C1 product suitability.

Substrates

Before tiling is commenced it is important to ensure that the correct minimum curing periods have been observed for all substrates:

Concrete (6 Weeks) Screed - Non Modified (3 Weeks)

Rendering - Non Modified (2 Weeks) Gypsum Plastering (4 Weeks) Brickwork / Blockwork (6 Weeks)

Accuracy of the substrate must be checked to ensure that the guidance given in B\$5385 has been achieved i.e. "local variations in level for a nominally flat floo or wall should be such that, when checked with a 2m

Cleaning and Maintenance

Maintaining the appearance and characteristics (especially slip resistance values) of floor tiles is achieved with the implementation of a suitable cleaning regime. It must be stressed that the cleaning material manufacturers instructions must be followed at all times. Regular and correctly undertaken cleaning should maintain a flooring product as close to its original state as possible. Incorrect or infrequent cleaning will adversely affect the properties of the flooring material and increase potential hazards. Generally the smoother the surface of the tile the easier it is to clean. However, it should be noted that textured products, required to give adequate slip resistance when wet, can be satisfactorily cleaned the cleanability of a surface is more a function of the contaminant than the texture of the surface. It is therefore essential when selecting and specifying a floor finish that the use of the area and likely contaminants, safety, aesthetic and hygiene requirements are all taken into account at the specification stage.

Cleaning can be split into several categories, each of which is dependant upon installation type (i.e. wet barefoot areas, shopping malls, public toilets, etc.) and frequency of usage (i.e. high, medium or low traffic):

Builders Clean

This should be undertaken before a floor is being brought into service. The builders clean removes any residual film leftover from the grouting operation and is a one-off cleaning process. This must be carried out as any grout residues left behind will act as a key for dirt resulting in the installation being difficult to clean. Temporary sealers may be used to facilitate cleaning off after laying which can be removed with the use of alkaline detergents.

Cementitious Grouts

The use of a mild acid de-cementing solution followed by thorough rinsing will remove all but the most stubborn of cement residues.

straight-edge, any gap under the straight-edge between points of contact does not exceed 3mm"

Movement Joints

The location, type and scope of all movement joints must be ascertained prior to any fixing works. All structural joints must be followed through to the face of the tile at full width with intermediate mover ioints (minimum 6mm wide) being situated at:

Changes of Plane (Incl. Wall Corners) Wall / Floor Junctions Where Tiling Abuts Other Materials

Additionally at 3 to 4.5m maximum centres for wall tiling and 8 to 10m maximum bay centres for floor tiling (in suspended floors the bay dimensions should be reduced by providing additional joints over supporting walls and beams).

Movement joints can either be filled with a suitable backer, bond breaker and filler (e.g. silicone for walls tiles only or epoxy polysulphide for floor and wall tiles - please check with manufacturer for suitability) or be of the pre-formed variety.

Design / Layout

Consideration to locations of plane changes and room sizes should be undertaken to ensure the best tile size is selected to minimise cutting and improve aesthetics

Adhesives

Adhesives should be in accordance with BS EN 12004, Class DI or D2 for ceramic tiles and Class C2 or C1* for porcelain tiles. Particular adhesive choice will be governed by the type of substrate.

* Check with the adhesive manufacturer for additional CI product suitability.

Johnson Tiles recommends the use of Norcros Adhesives products - see below

Ceramic Tiles (BIII)

Epoxide Grouts

Routine Cleaning

polish remover.

Manual Cleaning

water is important.

Mechanical Cleaning

Substrate	Product
Concrete	One Part Flexible
Sand / Cement Screed	One Part Flexible
Brick / Blockwork	One Part Flexible
Plaster Gypsum	One Part Flexible
Plasterboard	One Part Flexible

It is essential that ALL residue must be removed from the surface of the tiles during the grouting process and

before the resin cures. Failure to achieve this will result

in a very difficult and expensive process using gel-type

The regular use of detergents or other cleaning

agents, which are excessively acidic or alkaline could

ause irreversible damage to the ceramic tile surface.

Degreasing agents that contain wax, sodium silicate or

other additives which leave sticky deposits and thus

of wax can be removed with a proprietary wax and

In normal conditions tiles require little maintenance

nearly neutral detergent has been added. The cleaning

minutes (see manufacturers instructions) to allow it to

penetrate and emulsify the dirt after which it should be removed by rinsing thoroughly with clean water. The rinsing process removes the dirt so the use of clean

For larger floor areas or areas of textured tiles the

use of a rotary scrubbing machine is recommended

(machines should not be used at speeds in excess of

450rpm). The choice of brush type is very important

Union mix brushes are suitable for light washing and

manufacturers instructions) after which a secondary

undertaken to remove the solution and dirt.

scrubbing action and clean mon or suction should be

scrubbing, polypropylene brushes are suitable where dirt deposits are especially heavy. The cleaning solution should remain on the floor for 5 to 15 minutes (see

and can be easily kept clean by sweeping and then

mopping with warm water to which a neutral or

solution should remain on the floor for 5 to 15

retain dirt should be avoided. Oil residues or build-ups

Porcelain Tiles (Bla)

Substrate	Product	
Concrete	Rapid Porcelain / Flexib	le
Sand / Cement Screed	Rapid Porcelain / Flexib	le
Wood Floors	Rapid Porcelain / Flexib	le*
Brick / Blockwork	Rapid Porcelain / Flexib	le
Plaster Gypsum	Rapid Porcelain / Flexib	le
Plasterboard	Rapid Porcelain / Flexib	le**

* Overlay with minimum 15mm WBP / Marine Plv and Prime using Norcros Adhesive Prime and Seal ** Prime using Norcros Adhesive Prime and Seal.

Grouts

The choice of grout type should reflect the expected service conditions of the installation

For general internal wall tiling in dry conditions and walls subject to frequent wetting i.e. showers and pool halls, use Norcros Adhesives 4 in 1 Cement Based Grout - classified as CG2.

For walls where hygiene is important i.e. commercial kitchens and hospitals, use Norcros Adhesives Super Epoxy Grout - classified as RG I.

For general floor tiling use Norcros Adhesives 4 in I Flexible Wall and Floor Tile Grout - classified as CG2.

For floors subject to frequent wetting i.e. showers and pool halls, use Norcros Adhesives 4 in 1 Flexible Wall and Floor Tile Grout - classified ad CG2 (hard water areas) or Norcros Adhesives Super Epoxy Grout - classified as RGI (soft water areas).

For specific adhesive and grout advice, please contact Norcros Adhesives technical helpline on +44 (0) | 782 524 | 40.

Fixing Tiles

All tiles should be fixed with a solid bed of adhesive, this ensures maximum durability and strength within the installation and long term adhesion performance. This is achieved with the use of a notched solid bed trowel. It is good practice to periodically remove a recently fixed tile to ensure that the correct bedding is being achieved and maintained. When fixing all tiles care must be taken to ensure that no lipping of tiles occurs.

be fixed with a nominal 3mm wide joint.

High Pressure Cleaning

Tiles seldom require the use of high-pressure cleaning. Whilst the process will not damage the tiles care must be taken to avoid erosion of the grout. To minimise grout erosion ensure that the water beam is continually ved from side to side and not allowed to concentrate on the grouted joints. Water containing abrasives or steam cleaners should not be used on ceramic tiles.

Wet Areas

Wet barefoot areas may attract build-ups of body fats, soaps, oil residues and organic growth. To prevent these a mildly acidic cleaning agent used regularly is preferable. If build-up has been allowed a preliminary deep clean with a proprietary cleaner is required followed by regular use of a mildly acidic cleaning agent solution

Periodic Deep Cleaning

Occasionally foreign matter may cause surface marks that cannot be removed with the usual cleaning processes and materials. If the surface mark cannot be removed, other materials should be considered (it's advisable to experiment on a small inconspicuous area)

Paint - Paint Remover

Organic Stains - Bleach / Washing Soda Rust - Masonry Cleaner Oil / Fat / Grease - Detergent or Degreaser Mould Growth - Bleach / Proprietary Cleaner Tea / Coffee / Ink - Bleach / Proprietary Cleaner

Abrasive powders or cleaners should never be used on glazed or polished tiles

Accessibility and Support

The Equality Act 2010 has replaced the Disability Discrimination Act and in general, carries forward the protection that the Disability Discrimi Act provided for disabled people. The Disability Discrimination Act was repealed in October 2010.

The Equality Act requires accessible environments to be provided for disabled people, either in their place of work or for access to goods, services or facilities (public spaces). Those commissioning new buildings or adaptations to existing buildings must consider the implications of the Equality Act and their ability to provide buildings that do not discriminate against disabled people (physical or mental impairments).

Colour Reflectance (Contrast)

The Equality Act gives guidance on good visual contrast for the visually impaired between various elements of a building by the use of Light Reflectance Values (LRV).

LRV is a general term for contrast and is measured as the proportion of useful light reflected by a

The slip resistance of a floor finish is the most important safety consideration. Effective and suitable slip resistant characteristics will reduce the likelihood of slipping; particularly for older, mobility and visually impaired people.

Pendulum tests are the standard and preferred Heath and Safety Executive (HSE) test method for the assessment of floor slipperiness in both dry and contaminated (wet) conditions. This portable test can be used to test floor products in both laboratory and real world locations and conditions and uses a swinging test apparatus which simulates the act of walking.

96) of 36+ for shod foot areas,and / or a Pendulum

36+ (Low Slip Potential)

Johnson Tiles' internal test reports along with information available at the time of print and are to requirements should be used and checks should be specification are incorporated. Further information is available from - www.hse.gov.uk

R Values

German ramp tests are used to generate the R Values (DIN 51130) used most commonly in Northern Europe, This test can only be carried our in laboratory conditions, so this does not allow for the testing of materials in real world locations. DIN 51130 (R Values) is a shod foot test in which uses oil as a contaminant These results are interpreted into five groups:

R9 (6° to 10°) RIO (||° to |9°) RII (20° to 27°) RI2 (28° to 35°) RI3 (>35°)

R Value ratings have generally been used to assess product suitability in the UK. However, this is changing dramatically following recommendations from the HSE with the preferred test method being the Pendulum test.

All product technical values guoted are supported by laboratory testing from our own and independent ceramic test houses. Johnson Tiles are British Standard registered and all products conform to the standards set in BS EN 14411 (formerly BS 6431).

For the reassurance of single source supply, Johnson Tiles offer a free of charge NBS M40 specification writing service featuring the Norcros Adhesives range of tile fixing products. To find out more or for any questions or queries relating to any of the tile related technical information featured in this brochure, please contact our Technical Support Helpline on +44 (0) 1782 524 III or email techadvice@johnson-tiles.com.

The colours shown in this brochure are as accurate as and printing processes and/or screen calibration will allow. Please refer to actual product samples before specifying. Every effort has been made to ensure the accuracy of the information given in this brochure.

All tiles shown in this brochure are recommended to

d Porcelain / Flexible id Porcelain / Flexible Rapid Porcelain / Flexible**

Floors to Walls Ceiling to Walls Handrails to Walls

Sanitary Fittings to Walls

Wet Ramp

Class A (12° to 17°)

Class B (18° to 23°)

following five categories:

PEI II (Domestic Traffic)

PEI IV (Commercial Traffic)

institutional uses etc

PELI (Light Domestic Traffic)

Class C (>23°)

Pendulum Test Values (PTV)

Based on recommendations from the HSE, you should use floor finishes that achieve a Pendulum 4S (Slider TRI (Slider 55) of 36+ for wet barefoot areas, to achieve a low slip potential environment. The table below illustrates how the HSE categorise the results from the Pendulum tests for both the 4S Slider 96 and TRL Slider 55:

0 - 24 (High Slip Potential) 25 - 35 (Moderate Slip Potential)

Pendulum 4S and TRL results shown are based on be used for guidance purposes only. Project specific made so that the requirements at the time of

coloured object, floor, wall or ceiling. LRV is measured on a scale of 0 to 100 where 0 is perfect black and 100 $\,$ perfect white (in reality 0 and 100 are unobtainable colours). According to NCS Colour Centre in practical terms black is approx 6 and white approx 85.

The current guidelines from Building Regulations Approved Document M on contrast are that a minimum different of 30 LRV points should be specified for adjacent surfaces to ensure that visually impaired people are not discriminated against. In a specific example of ceramic tiles this difference should be between

The visual contrast between floors and walls is important in enabling visually impaired people to assess and gauge the size and shape of a room

German ramp tests are used to generate the ABC ratings (DIN 51097) used most commonly in Northern Europe, This test can only be carried our in laboratory conditions, so this does not allow for the testing of materials in real world locations. DIN 51097 is a wet barefoot test in which a soap solution is applied as a contaminant, the results from this test are placed into one of the following three categories:

ABC ratings have generally been used to assess product suitability in the UK. However, this is changing dramatically following recommendations from the HSE with the preferred test method being the Pendulum test.

PEI Ratings and Traffic

Porcelain Enamel Institute (PEI) ratings refer to the surface abrasion resistance of a glazed floor tile. The test is only used for glazed tiles. Through-body porcelain and un-glazed porcelain are tested using the EN ISO 10545-6 Deep Abrasion Test. All glazed floor tiles shown in this brochure are rated with a PFI value which in turn gives a foot traffic suitability recommendation, these values and recommendations are split into the

Floors walked on with soft soled footwear with no scratching dirt - for example; residential bathrooms without direct outside access, en-suite bathrooms etc.

Floors walked on with soft soled footwear with no scratching dirt - for example; residential bathrooms without direct outside access, en-suite bathrooms etc.

PEI III (Light Commercial Traffic) Floors walked on with normal footwear with small amounts of scratching dirt - for example; residential halls, corridors, kitchens or conservatories.

Floors walked on by regular traffic with the presence of some scratching dirt but more severe than PEI III's – for example; hotels, restaurants and shops without direct external access.

PEI V (Heavy Commercial Traffic)

Floors subject to severe pedestrian traffic over sustained periods with the presence of some scratching dirt - for example; shopping centres, hotel foyers, commercial floors, The greatest visual contrast must occur where the floor meets the wall (skirting) as this gives the most accurate visual indication of the extent of the room. Where provided, skirting's should contrast visually with the floor and be similar in colour and tone to the wall surface.

This information is not exhaustive and the requirement at the time of specification must be checked. BS8300:2001 Amendment 1 indicates that there is anecdotal evidence to suggest that a 20 point LRV difference may be sufficient especially where large adjacent areas are involved.

It must be noted that the guidance on LRV values given in this brochure is correct at the time of print. This is a subject that may be reviewed by the regulatory body at any time so it is advisable to check the guidelines at the time of specification of product.

The Equality Act details given in this brochure are to be used as an outline guide only and are the details as Johnson Tiles understand them at the time of print. Further aualified advice should be sought if any of the details given above are in doubt.

Colour Shade Variation (CSV)

Colour Shade Variation (CSV) values are assigned to wall and floor tiles within this brochure. These values are to be used for guidance only. Shade, colour and pattern variation are inherent characteristics of all ceramic and porcelain tiles. CSV is split into four categories:

VI (Low Shade Variation) When installed and mixed correctly the effect is a consistent overall appearance

V2 (Low to Moderate Shade Variation) When installed and mixed correctly the effect is a finish with subtle shade differences.

V3 (Moderate to High Shade Variation) When installed and mixed correctly the effect is a finish with a high degree of shade variation

V4 (High Shade Variation) When installed and mixed correctly the effect is a finish with a high degree of shade variation

General Information

During the manufacturing process of ceramic and porcelain tiles, some variation in shade and pattern can occur. Before fixing any tiles; several boxes should be opened and their contents mixed to ensure that size, colour, shade and patterning are acceptable. The tiles shown are quality products and conform to the physical properties listed in this brochure

All sizes shown are metric modular

For specific suitability and fit-for-purpose details please contact our technical helpline.

Johnson Tiles cannot accept responsibility for any tiles that have been fixed.

Every effort has been made to ensure the accuracy of the information given.

Johnson Tiles reserves the right to change specifications and availability without prior notice.

Nothing in these statements does or will affect the statutory rights of the consumer

 R Johnson Tiles Johnson Absolute and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R Johnson Tiles Limited and licensed to Norcros Group (Holdings) Limited trading as Johnson Tiles.

© 2021 Johnson Tiles. All rights reserved

We hope this brochure has provided you with information and inspiration that will be of value in the planning of your next residential project. If you're seeking high quality products, excellence in design and industry leading service, Johnson Tiles is the right choice for you.

Please don't hesitate to get in touch if you'd like to know more about our product offering and achievements in any of the following sectors: Commercial, Hospitality, Care or Special Products.

WHERE TO FIND US.

Johnson Tiles Head Office Harewood Street, Tunstall, Stoke on Trent, Staffordshire, ST6 5JZ, UK

Tel: +44 (0) | 782 575 575 Email: info@johnson-tiles.com

f y 0 p in D

f 🎔 🖸 🦻 in

Material Lab Studio 10 Great Titchfield Street, London, WIW 8BB, UK

Tel: +44 (0)20 7436 8629 Email: info@material-lab.co.uk www.material-lab.co.uk

General Enquiries Tel: +44 (0) | 782 575 575 Email: Info@johnson-tiles.com

Customer Services Tel: +44 (0) | 782 524 000 Email: sales@johnson-tiles.com

Samples Ordering Tel: +44 (0) | 782 524 043 Email: samples@johnson-tiles.com

Technical Advice Tel: +44 (0) | 782 524 | | | Email: ddunlop@johnson-tiles.com



